



Product Technical Specification




THERMAL LAMINATION LP20 SLm
Slitting and Thermal Lamination



THERMAL LAMINATION LP20 SLm

THERMAL LAMINATION LP20 SLm

FLOOR DIMENSION



TECHNICAL SPECIFICATION

MACHINE DIMENSION 20 (inch)	930 x 918 x 1400 (mm)
POWER SUPPLY	220V AC (50 Hz)
POWER CONSUMPTION 20 (inch)	2500 WATTS
POWER CONSUMPTION 13 (inch)	1800 WATTS
LAMINATION SPEED	UPTO 5 MTR / MIN
MAX PAPER SIZE	508 mm 20" (INCH)
THICKNESS OF PAPER	170 GSM – 300 GSM

*** Any type of Media/Paper static charge should be less then 2KW at the time of binding process**


Thermal Lamination LP20 SLM is a combination of Slitting & Double Side Lamination to create a Flat Open Photo Book. You can use it either for Inline **Slitting** with Double Side Lamination or only for **Laminating** purpose of Double Side Lamination also.



FEATURES

- User friendly Touch Display to operate various functions.
- High Accuracy IR Sensor has been provided to maintain Accurate Temperature.
- Easily controlled speed for varied papers and lamination films, speed up to 5 mtr /min.
- 1”(Inch) core for small lamination film roll & 3”(Inch) core for jumbo Film roll.
- Standby mode to save the power consumption on idle condition of the machine.
- Dust cleaning system before slitting process.
- Heavy motors are provided to run the jumbo film roller.

Different Possible Size & More :-



- 1.) 30cm x 30cm
- 2.) 30cm x 38cm
- 3.) 30cm x 48cm





STACK THE PRINTS WITH RIGHT ANGLE


STACK THE PRINTS WITH RIGHT ANGLE



APPLICATION IN VARIOUS INDUSTRIES

VISUAL BOOKS :

- Architecture.
- Home Decor & Interior Design.
- Automobile.
- Food & Pharmacy.
- Fashion.
- Travelling.
- Wedding.
- Baby Albums.
- School Albums.



Regular Binding



LP20 SLm Binding

PIV^{IN}ACLE[®]



pinnacletechnocrats.com



sales@pinnacletechnocrats.com

